

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Stripper  
Revision date : 12.01.2023  
Print date : 12.01.2023

Version (Revision) : 5.1.0 (5.0.0)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Stripper

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

PC 35 - Washing and cleaning products

#### Sectors of use [SU]

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)  
Industrial uses

### 1.3 Details of the supplier of the safety data sheet

#### Supplier

Bio-Circle Surface Technology AG

**Street :** Aahusweg 16

**Postal code/City :** 6403 Küssnacht am Rigi

**Telephone :** 0041 41 878 1166

**Telefax :** 0041 41 878 1347

**Information contact :** service@bio-circle.ch

### 1.4 Emergency telephone number

+41 (0)442515151

Schweizerisches Toxikologisches Informationszentrum, 145

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation.

Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### Hazard pictograms



Corrosion (GHS05)

##### Signal word

Danger

##### Hazard components for labelling

ALCOHOLS C10, ETHOXYLATED

QUATERNARY AMMONIA COMPOUNDS

DISODIUM METASILICATE ; CAS No. : 6834-92-0

##### Hazard statements

H318 Causes serious eye damage.

H315 Causes skin irritation.

##### Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/...

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Stripper  
Revision date : 12.01.2023  
Print date : 12.01.2023

Version (Revision) : 5.1.0 (5.0.0)

P302+P352 IF ON SKIN: Wash with plenty of water/....  
P332+P313 If skin irritation occurs: Get medical advice/attention.

## 2.3 Other hazards

None

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

BENZYL ALCOHOL ; REACH No. : 01-2119492630-38-XXXX ; EC No. : 202-859-9; CAS No. : 100-51-6  
Weight fraction :  $\geq 10 - < 25$  %  
Classification 1272/2008 [CLP] : Acute Tox. 4 ; H302 Acute Tox. 4 ; H332 Eye Irrit. 2 ; H319

2-(2-BUTOXYETHOXY)ETHANOL ; REACH No. : 01-2119475104-44-XXXX ; EC No. : 203-961-6; CAS No. : 112-34-5  
Weight fraction :  $\geq 10 - < 25$  %  
Classification 1272/2008 [CLP] : Eye Irrit. 2 ; H319  
Substance with a common (EC) occupational exposure limit value.

POTASSIUM CUMENESULFONATE ; REACH No. : 01-2119489427-24-XXXX ; EC No. : 629-764-9; CAS No. : 164524-02-1  
Weight fraction :  $\geq 1 - < 5$  %  
Classification 1272/2008 [CLP] : Eye Irrit. 2 ; H319

SODIUM CUMENESULPHONATE ; REACH No. : 01-2119489411-37-XXXX ; EC No. : 239-854-6; CAS No. : 15763-76-5  
Weight fraction :  $\geq 1 - < 5$  %  
Classification 1272/2008 [CLP] : Eye Irrit. 2 ; H319

ISOTRIDECANOL, ETHOXYLATED ( $\geq 2.5$ ) ; REACH No. : (Polymer) ; EC No. : 931-138-8; CAS No. : 9043-30-5  
Weight fraction :  $\geq 1 - < 5$  %  
Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Aquatic Chronic 3 ; H412  
Specific Conc. Limits : Eye Dam. 1 ; H318: C  $\geq 10,01$  %

C9-C11, ALCOHOLS, ETHOXYLATED (4 EO) ; REACH No. : 01-2119980051-45-XXXX ; EC No. : 614-482-0; CAS No. : 68439-46-3  
Weight fraction :  $\geq 1 - < 5$  %  
Classification 1272/2008 [CLP] : Eye Irrit. 2 ; H319

ALCOHOLS, ETHOXYLATED, C9-C11 (5.5 EO) ; REACH No. : 01-2119980051-45-XXXX ; EC No. : 614-482-0; CAS No. : 68439-46-3  
Weight fraction :  $\geq 1 - < 5$  %  
Classification 1272/2008 [CLP] : Acute Tox. 4 ; H302 Eye Irrit. 2 ; H319

ALCOHOLS C10, ETHOXYLATED ; REACH No. : Polymer  
Weight fraction :  $\geq 1 - < 3$  %  
Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Acute Tox. 4 ; H302

QUATERNARY AMMONIA COMPOUNDS ; REACH No. : Polymer  
Weight fraction :  $\geq 1 - < 3$  %  
Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Skin Irrit. 2 ; H315

DISODIUM METASILICATE ; REACH No. : 01-2119449811-37-XXXX ; EC No. : 229-912-9; CAS No. : 6834-92-0  
Weight fraction :  $\geq 1 - < 3$  %  
Classification 1272/2008 [CLP] : Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 STOT SE 3 ; H335

#### Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Stripper  
Revision date : 12.01.2023  
Print date : 12.01.2023

Version (Revision) : 5.1.0 (5.0.0)

person or a person with cramps.

### Following inhalation

In case of respiratory tract irritation, consult a physician.

### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Rub greasy ointment into the skin.

### After eye contact

Protect uninjured eye. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### Following ingestion

Rinse mouth thoroughly with water. Let 1 glass of water be drunken in little sips (dilution effect). Do NOT induce vomiting. Call a physician immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation. Causes skin irritation.

## 4.3 Indication of any immediate medical attention and special treatment needed

None

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Extinguishing powder Carbon dioxide (CO<sub>2</sub>) Sand Nitrogen Extinguishing blanket

#### Unsuitable extinguishing media

Full water jet

### 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide , Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### 5.4 Additional information

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings. Move undamaged containers from immediate hazard area if it can be done safely.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Special danger of slipping by leaking/spilling product.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### 6.3 Methods and material for containment and cleaning up

Clear spills immediately. Wipe up with absorbent material (eg. cloth, fleece). Wash with plenty of water. Treat the recovered material as prescribed in the section on waste disposal.

### 6.4 Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Keep container tightly closed.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Stripper  
Revision date : 12.01.2023  
Print date : 12.01.2023

Version (Revision) : 5.1.0 (5.0.0)

## 7.2 Conditions for safe storage, including any incompatibilities

Keep/Store only in original container. Protect against : Frost .

## 7.3 Specific end use(s)

Observe technical data sheet. Observe instructions for use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

BENZYL ALCOHOL ; CAS No. : 100-51-6

Limit value type (country of origin) : MAK ( ch )  
Limit value : 5 ppm / 22 mg/m<sup>3</sup>  
Remark : H; SSc  
Version : 09.03.2021

2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5

Limit value type (country of origin) : MAK ( CH )  
Limit value : 10 ppm / 67 mg/m<sup>3</sup>  
Remark : 8 h  
Version :

Limit value type (country of origin) : MAK ( CH )  
Limit value : 15 ppm / 101,2 mg/m<sup>3</sup>  
Remark : short term  
Version :

Limit value type (country of origin) : STEL ( ch )  
Limit value : 15 ppm / 101,2 mg/m<sup>3</sup>  
Version :

Limit value type (country of origin) : TWA ( ch )  
Limit value : 10 ppm / 67 mg/m<sup>3</sup>  
Version :

Limit value type (country of origin) : STEL ( EC )  
Limit value : 15 ppm / 101,2 mg/m<sup>3</sup>  
Version : 20.06.2019

Limit value type (country of origin) : TWA ( EC )  
Limit value : 10 ppm / 67,5 mg/m<sup>3</sup>  
Version : 20.06.2019

#### DNEL-/PNEC-values

##### DNEL/DMEL

BENZYL ALCOHOL ; CAS No. : 100-51-6

Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 90 mg/m<sup>3</sup>

Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Short-term  
Limit value : 450 mg/m<sup>3</sup>

Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 9,5 mg/kg

Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Short-term

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Stripper  
Revision date : 12.01.2023  
Print date : 12.01.2023

Version (Revision) : 5.1.0 (5.0.0)

Limit value : 47 mg/kg  
2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5  
Limit value type : DNEL worker (local)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 67,5 mg/m<sup>3</sup>  
Limit value type : DNEL worker (local)  
Exposure route : Inhalation  
Exposure frequency : Short-term  
Limit value : 101,2 mg/m<sup>3</sup>  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 67,5 mg/m<sup>3</sup>  
Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 20 mg/kg  
SODIUM CUMENESULPHONATE ; CAS No. : 15763-76-5  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 53,6 mg/m<sup>3</sup>  
POTASSIUM CUMENESULFONATE ; CAS No. : 164524-02-1  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 53,6 mg/m<sup>3</sup>  
Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 7,6 mg/kg  
SODIUM CUMENESULPHONATE ; CAS No. : 15763-76-5  
Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 7,6 mg/kg  
ISOTRIDECANOL, ETHOXYLATED (>= 2.5) ; CAS No. : 9043-30-5  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 294 mg/m<sup>3</sup>  
C9-C11, ALKOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 294 mg/m<sup>3</sup>  
ALCOHOLS, ETHOXYLATED, C9-C11 (5.5 EO) ; CAS No. : 68439-46-3  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 294 mg/m<sup>3</sup>  
Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 2080 mg/kg

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Stripper  
Revision date : 12.01.2023  
Print date : 12.01.2023

Version (Revision) : 5.1.0 (5.0.0)

C9-C11, ALCOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3

Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 2080 mg/kg

ISOTRIDECANOL, ETHOXYLATED ( $\geq 2.5$ ) ; CAS No. : 9043-30-5

Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 2080 mg/kg

DISODIUM METASILICATE ; CAS No. : 6834-92-0

Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Exposure frequency : Long-term  
Limit value : 6,22 mg/m<sup>3</sup>  
Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Exposure frequency : Long-term  
Limit value : 1,49 mg/kg

## PNEC

DISODIUM METASILICATE ; CAS No. : 6834-92-0

Limit value type : PNEC (Aquatic, freshwater)  
Limit value : 7,5 mg/l  
Limit value type : PNEC (Aquatic, marine water)  
Limit value : 1 mg/l  
Limit value type : PNEC (Sewage treatment plant)  
Limit value : 1000 mg/l

## 8.2 Exposure controls

### Personal protection equipment

#### Eye/face protection



Wear suitable safety goggles in case of splash.

#### Suitable eye protection

EN 166.

#### Skin protection

##### Hand protection



Suitable gloves type : EN 374.

Suitable material : NBR (Nitrile rubber)

Breakthrough time : 480 min.

Thickness of the glove material : 0.4 mm

**Remark** : The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Respiratory protection

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Stripper  
Revision date : 12.01.2023  
Print date : 12.01.2023

Version (Revision) : 5.1.0 (5.0.0)



Respiratory protection necessary at: exceeding exposure limit values

### Suitable respiratory protection apparatus

Combination filtering device  
Type : A

### Remark

Filter types: A, B, E, K. Class 1: Maximum permitted contaminant concentration in inhaled air = 1000 mL/m<sup>3</sup> (0.1 % by vol.); class 2: maximum permitted contaminant concentration in inhaled air = 5000 mL/m<sup>3</sup> (0.5 % by vol.); class 3: maximum permitted contaminant concentration in inhaled air = 10000 mL/m<sup>3</sup> (1.0 % by vol.)  
Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

### General information

Do not put any product-impregnated cleaning rags into your trouser pockets. Do not put any product-impregnated cleaning rags into your trouser pockets. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. P362+P364 - Take off contaminated clothing and wash it before reuse. P264 - Wash hands thoroughly after handling.

### 8.3 Additional information

No tests have been performed. Selection made for preparations according to the best available knowledge and information on ingredients. In the case of preparations the resistance of glove materials cannot be calculated in advance so it has to be tested before use.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state : Liquid  
Colour : colourless

#### Odour

characteristic

#### Safety characteristics

Freezing point :	<	0 °C	
Initial boiling point and boiling range ( 1013 hPa ) :	approx.	100 °C	
Flash point :		not relevant	
Auto-ignition temperature :		not relevant	
Lower explosion limit :		not relevant	
Upper explosion limit :		not relevant	
Vapour pressure :	( 50 °C )	not relevant	
Density :	( 20 °C )	approx. 1,03	g/cm <sup>3</sup>
pH :		approx. 12,5	
Flow time :	( 20 °C )	not relevant	DIN-cup 4 mm
Maximum VOC content (EC) :		10,5	Weight-%
Maximum VOC content (Switzerland) :		20,5	Weight-%
Taxable VOC content (Switzerland) :		20,5	Weight-%

### 9.2 Other information

No further relevant information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Stripper  
Revision date : 12.01.2023  
Print date : 12.01.2023

Version (Revision) : 5.1.0 (5.0.0)

This material is considered to be non-reactive under normal use conditions.

## 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

## 10.3 Possibility of hazardous reactions

No known hazardous reactions.

## 10.4 Conditions to avoid

No information available.

## 10.5 Incompatible materials

Brass Zinc

## 10.6 Hazardous decomposition products

No known hazardous decomposition products.  
Decomposition products in case of fire: see section 5.

## 10.7 Additional information

Slowly corrodes aluminium and zinc under hydrogen evolution.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Acute oral toxicity

Parameter :	ATE ( ALCOHOLS C10, ETHOXYLATED )
Exposure route :	Oral
Effective dose :	500 mg/kg
Parameter :	LD50 ( QUATERNARY AMMONIA COMPOUNDS )
Exposure route :	Oral
Species :	Rat
Effective dose :	> 300 mg/kg
Parameter :	LD50 ( DISODIUM METASILICATE ; CAS No. : 6834-92-0 )
Exposure route :	Oral
Species :	Mouse
Effective dose :	770 - 820 mg/kg
Parameter :	LD50 ( POTASSIUM CUMENESULFONATE ; CAS No. : 164524-02-1 )
Exposure route :	Oral
Species :	Rat
Effective dose :	> 7000 mg/kg
Method :	OECD 401
Parameter :	LD50 ( SODIUM CUMENESULPHONATE ; CAS No. : 15763-76-5 )
Exposure route :	Oral
Species :	Rat
Effective dose :	> 7000 mg/kg
Method :	OECD 401
Parameter :	LD50 ( C9-C11, ALCOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3 )
Exposure route :	Oral
Species :	Rat
Effective dose :	5050 - 5130 mg/kg
Method :	OECD 401
Parameter :	LD50 ( ALCOHOLS, ETHOXYLATED, C9-C11 (5.5 EO) ; CAS No. : 68439-46-3 )
Exposure route :	Oral
Species :	Rat
Effective dose :	> 5050 - 5130 mg/kg
Method :	OECD 401
Parameter :	LD50 ( DISODIUM METASILICATE ; CAS No. : 6834-92-0 )
Exposure route :	Oral



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Stripper  
Revision date : 12.01.2023  
Print date : 12.01.2023

Version (Revision) : 5.1.0 (5.0.0)

Species : Rat  
Effective dose : 1152 - 1349 mg/kg  
Parameter : LD50 ( 2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5 )  
Exposure route : Oral  
Species : Mouse  
Effective dose : 5530 mg/kg  
Method : OECD 401  
Parameter : LD50 ( ISOTRIDECANOL, ETHOXYLATED ( >= 2.5 ) ; CAS No. : 9043-30-5 )  
Exposure route : Oral  
Species : Rat  
Effective dose : > 2000 mg/kg  
Method : OECD 423  
Parameter : LD50 ( BENZYL ALCOHOL ; CAS No. : 100-51-6 )  
Exposure route : Oral  
Species : Rat  
Effective dose : 1230 - 1620 mg/kg

## Acute dermal toxicity

Parameter : LD50 ( BENZYL ALCOHOL ; CAS No. : 100-51-6 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : 2000 mg/kg  
Parameter : LD50 ( POTASSIUM CUMENESULFONATE ; CAS No. : 164524-02-1 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : > 2000 mg/kg  
Method : OECD 402  
Parameter : LD50 ( SODIUM CUMENESULPHONATE ; CAS No. : 15763-76-5 )  
Exposure route : Dermal  
Species : Rat  
Effective dose : > 2000 mg/kg  
Method : OECD 402  
Parameter : LD50 ( C9-C11, ALCOHOLS, ETHOXYLATED ( 4 EO ) ; CAS No. : 68439-46-3 )  
Exposure route : Dermal  
Species : Rat  
Effective dose : > 2000 mg/l  
Method : OECD 402  
Parameter : LD50 ( ALCOHOLS, ETHOXYLATED, C9-C11 ( 5.5 EO ) ; CAS No. : 68439-46-3 )  
Exposure route : Dermal  
Species : Rat  
Effective dose : > 2000 mg/kg  
Method : OECD 402  
Parameter : LD50 ( DISODIUM METASILICATE ; CAS No. : 6834-92-0 )  
Exposure route : Dermal  
Species : Rat  
Effective dose : > 5000 mg/kg  
Parameter : LD50 ( ISOTRIDECANOL, ETHOXYLATED ( >= 2.5 ) ; CAS No. : 9043-30-5 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : > 2000 mg/kg  
Method : OECD 402  
Parameter : LD50 ( 2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5 )  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : 2764 mg/kg  
Method : OECD 402

## Acute inhalation toxicity

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Stripper  
Revision date : 12.01.2023  
Print date : 12.01.2023

Version (Revision) : 5.1.0 (5.0.0)

---

Parameter : LC50 ( DISODIUM METASILICATE ; CAS No. : 6834-92-0 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 2,06 mg/l  
Exposure time : 4 h

Parameter : LC50 ( POTASSIUM CUMENESULFONATE ; CAS No. : 164524-02-1 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 6,41 mg/l  
Exposure time : 232 min  
Method : OECD 403

Parameter : LC50 ( SODIUM CUMENESULPHONATE ; CAS No. : 15763-76-5 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 6,41 mg/l  
Exposure time : 232 min  
Method : OECD 403

Parameter : LC50 ( C9-C11, ALCOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 1,6 mg/l  
Method : OECD 403

Parameter : LC50 ( BENZYL ALCOHOL ; CAS No. : 100-51-6 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 4178 mg/m<sup>3</sup>  
Exposure time : 4 h  
Method : OECD 403

Parameter : LC50 ( ALCOHOLS, ETHOXYLATED, C9-C11 (5.5 EO) ; CAS No. : 68439-46-3 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : > 1,6 mg/l  
Exposure time : 4 h  
Method : OECD 403

Parameter : LC50 ( BENZYL ALCOHOL ; CAS No. : 100-51-6 )  
Exposure route : Inhalation  
Species : Rat  
Effective dose : 1000 ppm  
Exposure time : 8 h

## Corrosion

### Skin corrosion/irritation

Causes skin irritation.

### Acid/alkaline reserve

The mixture has a low buffer capacity (Acid/Alkaline reserve).

### Serious eye damage/eye irritation

Causes serious eye damage.

## Respiratory or skin sensitisation

### Skin sensitisation

Parameter : Skin sensitisation ( BENZYL ALCOHOL ; CAS No. : 100-51-6 )

No further relevant information available.

### Sensitisation to the respiratory tract

No further relevant information available.

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

### Carcinogenicity

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Stripper  
Revision date : 12.01.2023  
Print date : 12.01.2023

Version (Revision) : 5.1.0 (5.0.0)

No further relevant information available.

#### Germ cell mutagenicity

No further relevant information available.

#### Reproductive toxicity

No further relevant information available.

#### STOT-single exposure

No further relevant information available.

#### STOT-repeated exposure

No further relevant information available.

#### Aspiration hazard

No further relevant information available.

### 11.2 Information on other hazards

#### Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Other adverse effects

May be absorbed through the skin. Frequently or prolonged contact with skin may cause dermal irritation. Has degreasing effect on the skin.

#### Additional information

Preparation not tested. The statement is derived from the properties of the single components.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity

##### Acute (short-term) fish toxicity

Parameter :	LC50 ( BENZYL ALCOHOL ; CAS No. : 100-51-6 )
Species :	Pimephales promelas (fathead minnow)
Evaluation parameter :	Acute (short-term) fish toxicity
Effective dose :	460 mg/l
Exposure time :	96 h
Parameter :	LC50 ( 2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5 )
Species :	Lepomis macrochirus (Bluegill)
Evaluation parameter :	Acute (short-term) fish toxicity
Effective dose :	1300 mg/l
Exposure time :	96 h
Method :	OECD 203
Parameter :	LC50 ( DISODIUM METASILICATE ; CAS No. : 6834-92-0 )
Species :	Fish
Evaluation parameter :	Acute (short-term) fish toxicity
Effective dose :	2320 mg/l
Exposure time :	96 h
Parameter :	LC50 ( POTASSIUM CUMENESULFONATE ; CAS No. : 164524-02-1 )
Species :	Cyprinus carpio (Common Carp)
Evaluation parameter :	Acute (short-term) fish toxicity
Effective dose :	> 100 mg/l
Exposure time :	96 h
Parameter :	LC50 ( SODIUM CUMENESULPHONATE ; CAS No. : 15763-76-5 )
Species :	Cyprinus carpio (Common Carp)
Evaluation parameter :	Acute (short-term) fish toxicity
Effective dose :	> 100 mg/kg
Exposure time :	96 h
Parameter :	LC50 ( ISOTRIDECANOL, ETHOXYLATED ( >= 2.5 ) ; CAS No. : 9043-30-5 )
Species :	Cyprinus carpio (Common Carp)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Stripper  
Revision date : 12.01.2023  
Print date : 12.01.2023

Version (Revision) : 5.1.0 (5.0.0)

Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 1 - 10 mg/l  
Exposure time : 96 h  
Method : OECD 203  
Parameter : LC50 ( C9-C11, ALKOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3 )  
Species : Oncorhynchus mykiss (Rainbow trout)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 5 - 7 mg/l  
Exposure time : 96 h  
Parameter : LC50 ( ALCOHOLS, ETHOXYLATED, C9-C11 (5.5 EO) ; CAS No. : 68439-46-3 )  
Species : Oncorhynchus mykiss (Rainbow trout)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 5 - 7 mg/l  
Exposure time : 96 h

### Chronic (long-term) fish toxicity

Parameter : NOEC ( C9-C11, ALKOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3 )  
Species : Pimephales promelas (fathead minnow)  
Evaluation parameter : Chronic (long-term) fish toxicity  
Effective dose : 0,11 - 0,28 mg/l  
Exposure time : 30 D  
Parameter : NOEC ( ALCOHOLS, ETHOXYLATED, C9-C11 (5.5 EO) ; CAS No. : 68439-46-3 )  
Species : Pimephales promelas (fathead minnow)  
Evaluation parameter : Chronic (long-term) fish toxicity  
Effective dose : 0,11 - 0,28 mg/l  
Exposure time : 30 D

### Acute (short-term) toxicity to crustacea

Parameter : EC50 ( BENZYL ALCOHOL ; CAS No. : 100-51-6 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) toxicity to crustacea  
Effective dose : 230 mg/ml  
Exposure time : 48 h  
Method : OECD 202  
Parameter : EC50 ( DISODIUM METASILICATE ; CAS No. : 6834-92-0 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) toxicity to crustacea  
Effective dose : 1700 mg/l  
Exposure time : 48 h  
Method : OECD 202  
Parameter : EC50 ( SODIUM CUMENESULPHONATE ; CAS No. : 15763-76-5 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) toxicity to crustacea  
Effective dose : > 100 mg/l  
Exposure time : 48 h  
Parameter : EC50 ( C9-C11, ALKOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) daphnia toxicity  
Effective dose : 2,5 mg/l  
Exposure time : 48 h  
Parameter : EC50 ( ALCOHOLS, ETHOXYLATED, C9-C11 (5.5 EO) ; CAS No. : 68439-46-3 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) daphnia toxicity  
Effective dose : 2,5 mg/l  
Exposure time : 48 h  
Parameter : EC50 ( ISOTRIDECANOL, ETHOXYLATED ( >= 2.5 ) ; CAS No. : 9043-30-5 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) toxicity to crustacea

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Stripper  
Revision date : 12.01.2023  
Print date : 12.01.2023

Version (Revision) : 5.1.0 (5.0.0)

Effective dose : 1 - 10 mg/l  
Exposure time : 48 h  
Method : OECD 202  
Parameter : EC50 ( POTASSIUM CUMENESULFONATE ; CAS No. : 164524-02-1 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) toxicity to crustacea  
Effective dose : > 100 mg/l  
Exposure time : 48 h  
Parameter : EC50 ( 2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) toxicity to crustacea  
Effective dose : > 100 mg/l  
Exposure time : 48 h  
Method : OECD 202

**Chronic (long-term) toxicity to aquatic invertebrate**

Parameter : NOEC ( BENZYL ALCOHOL ; CAS No. : 100-51-6 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Chronic (long-term) toxicity to aquatic invertebrate  
Effective dose : 51 mg/l  
Exposure time : 21 D  
Method : OECD 211  
Parameter : NOEC ( C9-C11, ALKOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Chronic (long-term) daphnia toxicity  
Effective dose : 0,77 - 1,75 mg/l  
Exposure time : 21 D  
Parameter : NOEC ( ALCOHOLS, ETHOXYLATED, C9-C11 (5.5 EO) ; CAS No. : 68439-46-3 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Chronic (long-term) daphnia toxicity  
Effective dose : 0,77 - 1,75 mg/l  
Exposure time : 21 D  
Parameter : NOEC ( ISOTRIDEKANOL, ETHOXYLATED ( >= 2.5 ) ; CAS No. : 9043-30-5 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Chronic (long-term) toxicity to aquatic invertebrate  
Effective dose : 0,37 mg/l  
Exposure time : 21 D

**Acute (short-term) toxicity to algae and cyanobacteria**

Parameter : EC50 ( DISODIUM METASILICATE ; CAS No. : 6834-92-0 )  
Species : Scenedesmus subspicatus  
Evaluation parameter : Acute (short-term) toxicity to algae and cyanobacteria  
Effective dose : 207 mg/l  
Exposure time : 72 h  
Method : DIN 38412 / part 9  
Parameter : EC50 ( BENZYL ALCOHOL ; CAS No. : 100-51-6 )  
Species : Pseudokirchneriella subcapitata  
Evaluation parameter : Inhibition of growth rate  
Effective dose : 770 mg/l  
Exposure time : 72 h  
Method : OECD 201  
Parameter : EC50 ( C9-C11, ALKOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3 )  
Species : Pseudokirchneriella subcapitata  
Evaluation parameter : Acute (short-term) algae toxicity  
Effective dose : 1,4 mg/l  
Exposure time : 96 h  
Parameter : EC50 ( ALCOHOLS, ETHOXYLATED, C9-C11 (5.5 EO) ; CAS No. : 68439-46-3 )  
Species : Pseudokirchneriella subcapitata

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Stripper  
Revision date : 12.01.2023  
Print date : 12.01.2023

Version (Revision) : 5.1.0 (5.0.0)

Evaluation parameter : Acute (short-term) algae toxicity  
Effective dose : 1,4 mg/l  
Exposure time : 96 h  
Parameter : EC50 ( 2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5 )  
Species : Scenedesmus subspicatus  
Evaluation parameter : Acute (short-term) toxicity to algae and cyanobacteria  
Effective dose : > 100 mg/l  
Exposure time : 48 h  
Method : OECD 201  
Parameter : EC50 ( POTASSIUM CUMENESULFONATE ; CAS No. : 164524-02-1 )  
Species : Desmodesmus subspicatus  
Evaluation parameter : Acute (short-term) toxicity to algae and cyanobacteria  
Effective dose : > 100 mg/l  
Exposure time : 72 h  
Parameter : EC50 ( SODIUM CUMENESULPHONATE ; CAS No. : 15763-76-5 )  
Species : Desmodesmus subspicatus  
Evaluation parameter : Acute (short-term) toxicity to algae and cyanobacteria  
Effective dose : > 100 mg/l  
Exposure time : 72 h  
Parameter : EC50 ( ISOTRIDECANOL, ETHOXYLATED ( >= 2.5 ) ; CAS No. : 9043-30-5 )  
Species : Desmodesmus subspicatus  
Evaluation parameter : Acute (short-term) toxicity to algae and cyanobacteria  
Effective dose : 1 - 10 mg/l  
Exposure time : 72 h  
Method : OECD 201

**Toxicity to microorganisms**  
Parameter : EC50 ( DISODIUM METASILICATE ; CAS No. : 6834-92-0 )  
Species : Toxicity to microorganisms  
Effective dose : > 100 mg/l  
Exposure time : 3 h  
Parameter : EC50 ( POTASSIUM CUMENESULFONATE ; CAS No. : 164524-02-1 )  
Species : Toxicity to microorganisms  
Effective dose : > 1000 mg/l  
Exposure time : 3 h  
Parameter : EC50 ( SODIUM CUMENESULPHONATE ; CAS No. : 15763-76-5 )  
Species : Toxicity to microorganisms  
Effective dose : > 1000 mg/l  
Parameter : EC50 ( ISOTRIDECANOL, ETHOXYLATED ( >= 2.5 ) ; CAS No. : 9043-30-5 )  
Species : Bacteria toxicity  
Effective dose : 140 mg/l  
Parameter : EC50 ( C9-C11, ALCOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3 )  
Species : Pseudomonas putida  
Evaluation parameter : Bacteria toxicity  
Effective dose : > 10 g/l  
Exposure time : 16,9 h  
Method : DIN 38412 / part 8  
Parameter : EC50 ( BENZYL ALCOHOL ; CAS No. : 100-51-6 )  
Species : Toxicity to microorganisms  
Effective dose : 2100 mg/l  
Exposure time : 49 h  
Parameter : EC50 ( ALCOHOLS, ETHOXYLATED, C9-C11 (5.5 EO) ; CAS No. : 68439-46-3 )  
Species : Pseudomonas putida  
Evaluation parameter : Bacteria toxicity  
Effective dose : > 10 g/l  
Exposure time : 16,9 h  
Method : DIN 38412 / part 8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Stripper  
Revision date : 12.01.2023  
Print date : 12.01.2023

Version (Revision) : 5.1.0 (5.0.0)

Parameter : EC10 ( ALCOHOLS, ETHOXYLATED, C9-C11 (5.5 EO) ; CAS No. : 68439-46-3 )  
Species : Pseudomonas putida  
Evaluation parameter : Bacteria toxicity  
Effective dose : > 10 g/l  
Exposure time : 16,9 h  
Method : DIN 38412 / part 8  
Parameter : EC10 ( 2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5 )  
Species : Toxicity to microorganisms  
Effective dose : > 1995 mg/l  
Exposure time : 30 min  
Parameter : EC10 ( C9-C11, ALKOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3 )  
Species : Pseudomonas putida  
Evaluation parameter : Bacteria toxicity  
Effective dose : > 10 g/l  
Exposure time : 16,9 h  
Method : DIN 38412 / part 8

## Terrestrial toxicity

### Toxicity to soil macroorganisms except of arthropods

#### Chronical earthworm toxicity (reproduction)

Parameter : NOEC ( ISOTRIDECANOL, ETHOXYLATED ( >= 2.5) ; CAS No. : 9043-30-5 )  
Species : Eisenia fetida  
Evaluation parameter : Chronical earthworm toxicity (reproduction)  
Effective dose : 220 mg/kg

## 12.2 Persistence and degradability

### Biodegradation

Parameter : Biodegradation ( POTASSIUM CUMENESULFONATE ; CAS No. : 164524-02-1 )  
Inoculum : Biodegradation  
Evaluation parameter : Aerobic  
Degradation rate : 99,8 %  
Test duration : 28 D  
Evaluation : Readily biodegradable (according to OECD criteria).  
Method : OECD 301B  
Parameter : Biodegradation ( SODIUM CUMENESULPHONATE ; CAS No. : 15763-76-5 )  
Inoculum : Biodegradation  
Evaluation parameter : Aerobic  
Degradation rate : 99,8 %  
Test duration : 28 D  
Evaluation : Readily biodegradable (according to OECD criteria).  
Method : OECD 301B  
Parameter : Biodegradation ( C9-C11, ALKOHOLS, ETHOXYLATED (4 EO) ; CAS No. : 68439-46-3 )  
Inoculum : Biodegradation  
Evaluation parameter : Aerobic  
Degradation rate : 72 %  
Test duration : 28 D  
Evaluation : Readily biodegradable (according to OECD criteria).  
Parameter : Biodegradation ( ALCOHOLS, ETHOXYLATED, C9-C11 (5.5 EO) ; CAS No. : 68439-46-3 )  
Inoculum : Biodegradation  
Degradation rate : > 60 %  
Evaluation : Readily biodegradable (according to OECD criteria).  
Method : OECD 301B  
Parameter : Biodegradation ( ALCOHOLS C10, ETHOXYLATED )  
Inoculum : Biodegradation  
Degradation rate : > 60 %

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Stripper  
Revision date : 12.01.2023  
Print date : 12.01.2023

Version (Revision) : 5.1.0 (5.0.0)

Test duration : 28 D  
Evaluation : Readily biodegradable (according to OECD criteria).  
Method : OECD 301B  
Parameter : Biodegradation ( QUATERNARY AMMONIA COMPOUNDS )  
Inoculum : Biodegradation  
Degradation rate : > 60 %  
Test duration : 28 D  
Evaluation : Readily biodegradable (according to OECD criteria).  
Method : OECD 301D  
Parameter : Biodegradation ( BENZYL ALCOHOL ; CAS No. : 100-51-6 )  
Inoculum : Biodegradation  
Degradation rate : 95 - 97 %  
Test duration : 21 D  
Evaluation : Readily biodegradable (according to OECD criteria).  
Method : OECD 301A  
Parameter : BOD (% of COD) ( 2-(2-BUTOXYETHOXY)ETHANOL ; CAS No. : 112-34-5 )  
Inoculum : Biodegradation  
Evaluation parameter : Aerobic  
Degradation rate : 95 %  
Test duration : 28 D  
Evaluation : Readily biodegradable (according to OECD criteria).  
Method : OECD 301C  
Parameter : CO2 formation (% of the theoretical value) ( ISOTRIDEKANOL, ETHOXYLATED ( >= 2.5) ; CAS No. : 9043-30-5 )  
Inoculum : Biodegradation  
Evaluation parameter : Aerobic  
Degradation rate : > 60 %  
Test duration : 28 D  
Evaluation : Readily biodegradable (according to OECD criteria).  
Method : OECD 301B  
Parameter : CO2 formation (% of the theoretical value) ( ISOTRIDEKANOL, ETHOXYLATED ( >= 2.5) ; CAS No. : 9043-30-5 )  
Inoculum : Degree of elimination  
Evaluation parameter : Anaerobic  
Degradation rate : > 60 %  
Test duration : 60 D  
Evaluation : Biodegradable.  
Method : OECD 311

### 12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Endocrine disrupting properties

No information available.

### 12.7 Other adverse effects

No information available.

### 12.8 Additional ecotoxicological information

P273 - Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Stripper  
Revision date : 12.01.2023  
Print date : 12.01.2023

Version (Revision) : 5.1.0 (5.0.0)

## Ordinance on the avoidance and disposal of waste (ADWO) SR 814.600.

### Before intended use

#### Waste code according to the lists for the movement of waste

- 07 06 99 - wastes not otherwise specified.
- 20 01 29\* - detergents containing dangerous substances.

### Other disposal recommendations

Dispose of waste according to applicable legislation. Dispose of contents/container to an appropriate recycling or disposal facility. Contaminated packages must be completely emptied and can be re-used following proper cleaning. Handle contaminated packages in the same way as the substance itself.

## 13.2 Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the VVEA, specific to the industry and process.

## SECTION 14: Transport information

### 14.1 UN number

No dangerous good in sense of these transport regulations.

### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

### 14.4 Packing group

No dangerous good in sense of these transport regulations.

### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

None

### 14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

##### Authorisations and/or restrictions on use

##### Restrictions on use

Use restriction according to REACH annex XVII, no. : 3, 55, 75

##### Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

##### Other regulations (EU)

##### Labelling for contents according to regulation (EC) No. 648/2004

5 - 15 % non-ionic surfactants

5 - 15 % anionic surfactants

< 5 % cationic surfactants

Contains the following substances: BENZYL ALCOHOL

##### National regulations

##### Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Stripper  
Revision date : 12.01.2023  
Print date : 12.01.2023

Version (Revision) : 5.1.0 (5.0.0)

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

## Other regulations, restrictions and prohibition regulations

### Switzerland

Chemicals Ordinance, ChemO (SR 813.11)  
Chemical Risk Reduction Ordinance, ORRChem (SR 814.81)

## 15.2 Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### 16.1 Indication of changes

15. Restrictions on use

### 16.2 Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (Europäisches Übereinkommen über die Beförderung gefährlicher Güter auf der Straße)  
AOX: adsorbierbare organisch gebundene Halogene  
AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen  
CAS: Chemical Abstracts Service (Unterabteilung der American Chemical Society)  
CLP: Verordnung (EG) Nr. 1272/2008 über die Einstufung, Kennzeichnung und Verpackung von Stoffen und Gemischen (Classification Labelling and Packaging)  
EAK / AVV: europäischer Abfallartenkatalog / Abfallverzeichnis-Verordnung  
ECHA: Europäische Chemikalienagentur (European Chemicals Agency)  
EINECS: : Altstoffverzeichnis (European Inventory of Existing Commercial Chemical Substances)  
GHS: Global harmonisiertes System zur Einstufung und Kennzeichnung von Chemikalien (Globally Harmonized System of Classification and Labelling of Chemicals)  
IATA: Internationale Luftverkehrs-Vereinigung (International Air Transport Association)  
ICAO: Internationale Zivilluftfahrtorganisation (International Civil Aviation Organization)  
IMDG: Gefahrgutkennzeichnung für gefährliche Güter im Seeschiffverkehr (International Maritime Code for Dangerous Goods)  
RID: Regelung zur internationalen Beförderung gefährlicher Güter im Schienenverkehr (Règlement concernant le transport international ferroviaire de marchandises dangereuses)  
TRGS: Technische Regel für den Umgang mit Gefahrstoffen  
VbF: Verordnung über brennbare Flüssigkeiten  
VOC: flüchtige organische Verbindung (volatile organic compound)  
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe  
WGK: Wassergefährdungsklasse

### 16.3 Key literature references and sources for data

DGUV: GESTIS-Stoffdatenbank  
ECHA: Classification And Labelling Inventory  
ECHA: Pre-registered Substances  
ECHA: Registered Substances  
EC: Safety Data Sheet of Suppliers  
ESIS: European Chemical Substances Information System  
GDL: Gefahrstoffdatenbank der Länder  
UBA Rigoletto: Wassergefährdende Stoffe  
Regulation (EC) No. 1907/2006 of the European Parliament and of the Council  
Regulation (EC) No. 1272/2008 of the European Parliament and of the Council

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Evaluation :

Skin Irrit. 2 : Calculation method.  
Eye Dam. 1 : Calculation method.

### 16.5 Relevant H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Stripper  
**Revision date :** 12.01.2023  
**Print date :** 12.01.2023

**Version (Revision) :** 5.1.0 (5.0.0)

---

H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

**16.6 Training advice**

None

**16.7 Additional information**

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---